



INFORME DE EVIDENCIAS


TRASTORNO MENTAL GRAVE
JUNIO 2021



GOBIERNO DE ESPAÑA

MINISTERIO DE DERECHOS SOCIALES Y AGENDA 2030

SECRETARÍA DE ESTADO DE DERECHOS SOCIALES





ACTUALIDAD CIENTÍFICA

INFORMES Y ESTUDIOS

Salud mental y COVID-19

Un año de pandemia

Salud mental y COVID-19. Un año de pandemia.

Confederación Salud Mental España. Marzo 2021.

Informe en el que se trata de arrojar luz sobre cómo ha afectado la pandemia en la población en general, incidiendo principalmente en las personas con problemas de salud mental.



LIBRO BLANCO de la Salud Mental Infanto-Juvenil

Volumen 1



EDITORES

José Ramón Fernández Hermeida
Susana Villamarín Fernández

EDITA



Libro blanco de la salud mental infanto-juvenil.

Consejo General de la Psicología. Volumen 1. 2021.

Desarrollo de un debate sobre la atención de la Salud Mental en España y la situación actual de los recursos de prevención y tratamiento de los problemas psicológicos de niños y adolescentes.



GRUPO 5

Post COVID-19. Estudio de necesidades post covid-19 en personas con Trastorno Mental.

Grupo 5.

POST COVID-19

TRASTORNO MENTAL

ESTUDIO DE NECESIDADES
POST COVID-19 EN PERSONAS CON TRASTORNO MENTAL

INFORME DE RESULTADOS
1 DE NOVIEMBRE DE 2020

Estudio realizado en los servicios y centros de rehabilitación psicosocial de personas con Trastorno Mental Grave (TMG) de Grupo 5. Han participado en el estudio todos los recursos de 4 Comunidades Autónomas: Extremadura, País Vasco, Madrid y Comunidad Valenciana.

Informe de resultados: 1 de noviembre de 2020.

LITERATURA CIENTÍFICA



De Filippis R, Soldevila-Matías P, Guinart D, et al.

Unravelling cases of clozapine-related Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) in patients reported otherwise: A systematic review.

J Psychopharmacol. 2021 May 27

<http://doi.org/10.1177/026988112111021587>



De Filippis R, Soldevila-Matías P, De Fazio P, et al.

Clozapine-related drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome: a systematic review.

Expert Rev Clin Pharmacol. 2020 Aug;13(8):875-883.

<http://doi.org/10.1080/17512433.2020.1787831>



González-Vivas C, García-Martí G, Soldevila-Matías P, et al.

First-Episode Psychotic Patients Showed Longitudinal Brain Changes Using fMRI With an Emotional Auditory Paradigm.

Front Psychiatry. 2020 Dec 11;11:593042

<http://doi.org/10.3389/fpsy.2020.593042>



González-Vivas C, Soldevila-Matías P, Sparano O, et al.

Longitudinal studies of functional magnetic resonance imaging in first-episode psychosis: A systematic review.

Eur Psychiatry. 2019 Jun;59:60-69.

<http://doi.org/10.1016/j.eurpsy.2019.04.009>



Mascayano F, Bruni A, Susser E.
Implications of Global and Local Inequalities in COVID-19 Vaccine Distribution for People With Severe Mental Disorders in Latin America.
JAMA Psychiatry. Published online May 28, 2021.
<http://doi.org/10.1001/jamapsychiatry.2021.1416>



Ordóñez-CAmblor N, Paino M, Fonseca-Pedrero E, et al.
Mediation of the stigma in the influence of negative symptomatology over recovery in psychosis.
International Journal of Clinical and Health Psychology. 2021; 21(2).
<http://doi.org/10.1016/j.ijchp.2021.100220>



Pérez-Aranda A, García-Campayo J, Gude F, et al.
Impact of mindfulness and self-compassion on anxiety and depression: The mediating role of resilience.
International Journal of Clinical and Health Psychology. 2021; 21(2).
<http://doi.org/10.1016/j.ijchp.2021.100229>



Soldevila-Matías P, Albajes-Eizagirre A, Radua J, et al.
Precuneus and insular hypoactivation during cognitive processing in first-episode psychosis: Systematic review and meta-analysis of fMRI studies.
Rev Psiquiatr Salud Ment (Engl Ed). 2020 Sep 25.
<http://doi.org/10.1016/j.rpsm.2020.08.001>



Stroup TS, Olfson M, Huang C, et al.
Age-Specific Prevalence and Incidence of Dementia Diagnoses Among Older US Adults With Schizophrenia.
JAMA Psychiatry. 2021;78(6):632–641.
<http://doi.org/10.1001/jamapsychiatry.2021.0042> ⁱ



MATERIAL DE CONGRESOS-JORNADAS



CBT for Psychosis: Evidence-Based Training Program for Family and Caregivers.

National Alliance on Mental Illness. 2020 Virtual NAMIcon Sessions.

CBT for psychosis (CBTp), an evidence-based treatment for schizophrenia spectrum disorders, emphasizes the involvement of family members in the treatment course. In 2019, roughly 200 family members participated in Psychosis REACH, a training for family members in CBTp-informed principles and skills. This presentation reports on the mental health outcomes among trainees up to 4-months post-training.

OTROS RECURSOS



**The NIMH Director's Innovation Speaker Series:
Addressing Ethnoracial Disparities in Mental Health Risk,
Assessment, and Service Delivery.**
National Institute of Mental Health.

SALUD MENTAL ALREDEDOR DEL MUNDO



Una de cada 100 muertes es por suicidio.

17 de junio de 2021. Comunicado de prensa.



Twenty-year study links childhood depression to disrupted adult health and functioning.

21 de junio de 2021. Noticia basada en estudio Elsevier.

ⁱ Icono 'Salud Mental' diseñado por Freepik con recursos de Flaticon.es